

CLAIMS

I claim:

5/17 1. A method for utilizing an object that is dependent on object data comprising:

- 5 (a) storing the object data for the object separate from a file containing an instance of the object;

- 10
- (b) obtaining a request to load the file;
 - (c) determining if the object data is available; and
 - (d) if the object data is available:
 - (1) obtaining the object data; and
 - (2) utilizing the object data to display a graphical representation of the object.

2. The method of claim 1 further comprising displaying an empty
15 graphical representation if the object data is not available.

3. The method of claim 1 further comprising storing a universally unique identifier (UUID) with the file to match the object and the object data.

- 20 4. The method of claim 1 further comprising storing a reference to the
object data in the file.

5. The method of claim 4 wherein the reference is a uniform resource locator (URL).

6. The method of claim 1 wherein the object data is stored on a secure server and wherein the determining if the object data is available further comprises determining if the request to load the file provides proper access permissions for the object data.

7. The method of claim 6 wherein the request to load the file originates from outside of a network where the object data is stored and the object data is not available because a network security mechanism determines that the request does not provide the proper access permissions.

8. The method of claim 1 wherein the separate location is on a supplier's network and a supplier maintains and updates the object data.

9. The method of claim 1 wherein the utilizing the object data occurs in real time across a network.

10. The method of claim 1 wherein:
the file is a drawing;
the object is a drawing component; and

the object data provides the graphical representation of the drawing component.

11. A computer implemented system for utilizing an object that is
5 dependent on object data comprising:
- (a) an object dependent on object data;
 - (b) a file containing an instance of the object;
 - (c) means for storing the object data in a separate location from the file;
 - (d) means for obtaining a request to load the file;
 - 10 (e) means for determining if the object data is available, and if the object data is available:
- (1) means for obtaining the object data; and
 - (2) means for utilizing the object data to display a graphical
representation of the object.

12. The system of claim 11 further comprising means for displaying an empty graphical representation if the object data is not available.

13. The system of claim 11 further comprising a universally unique
20 identifier (UUID) that may be utilized to match the object and the object data.

14. The system of claim 11 wherein the file further comprises a reference

20. The system of claim 11 wherein:
the file is a drawing;
the object is a drawing component; and
5 the object data provides the graphical representation of the drawing
component.

10 21. An article of manufacture embodying logic for performing a method for
utilizing an object that is dependent on object data, the method comprising:

(a) storing the object data for the object separate from a file containing an
instance of the object;

15 (b) obtaining a request to load the file;

(c) determining if the object data is available; and

(d) if the object data is available:

(1) obtaining the object data; and

20 (2) utilizing the object data to display a graphical representation of
the object.

22. The article of manufacture of claim 21, the method further comprising

displaying an empty graphical representation if the object data is not available.

23. The article of manufacture of claim 21, the method further comprising storing a universally unique identifier (UUID) with the file to match the object and the
5 object data.

24. The article of manufacture of claim 21, the method further comprising storing a reference to the object data in the file.

10 25. The article of manufacture of claim 24 wherein the reference is a uniform resource locator (URL).

26. The article of manufacture of claim 21 wherein the object data is stored on a secure server and wherein the determining if the object data is available further
15 comprises determining if the request to load the file provides proper access permissions for the object data.

27. The article of manufacture of claim 26 wherein the request to load the file originates from outside of a network where the object data is stored and the object
20 data is not available because a network security mechanism determines that the request does not provide the proper access permissions.

002250-2942550

29. The article of manufacture of claim 21 wherein the utilizing the object
5 data occurs in real time across a network.

ADD 7